
EXPRESS MAIL EL 533/48 9924 SPCT/US98/17920



ATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU			
IS&S PCT	To:			
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422) Date of mailing (day/month/year) 28 January 2000 (28.01.00)	TRIPOLI, Joseph, S. GE & RCA Licensing Management Operation, Inc. P.O. Box 5312 Princeton, NJ 08543 ÉTATS-UNIS D'AMÉRIQUE			
Applicant's or agent's file reference				
RCA 88741	IMPORTANT NOTIFICATION			
International application No. PCT/US98/17920	International filing date (day/month/year) 28 August 1998 (28.08.98)			
The following indications appeared on record concerning: The applicant the inventor	the agent the common representative			
Name and Address	State of Nationality State of Residence			
THOMSON CONSUMER ELECTRONICS, INC.	US US			
10330 North Meridian Street Indianapolis, IN 46290 United States of America	Telephone No.			
Officed States of Afficiate	Facsimile No.			
	Teleprinter No.			
•				
2. The International Bureau hereby notifies the applicant that to X the person X the name X the add				
Name and Address	State of Nationality State of Residence			
THOMSON LICENSING SA	FR FR			
46 Quai A. Le Galo 92648 Boulogne	Telephone No.			
Cedex,				
France	Facsimile No.			
	Teleprinter No.			
3. Further observations, if necessary:				
4. A copy of this notification has been sent to:				
X the receiving Office	the designated Offices concerned			
the International Searching Authority	X the elected Offices concerned			
the International Preliminary Examining Authority	other:			
The International Bureau of WIPO	Authorized officer			
34, chemin des Colombettes 1211 Geneva 20, Switzerland	P. Regis			
Facsimile No.: (41-22) 740.14.35	Telephone No : (41-22) 338 83 38			
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38			



nternational Application No. PCT/US 98/17920

A. CLASS IPC 6	H04N3/233 H04N9/28		
According :	o International Patent Classification(IPC) or to both national classifi	ication and IPC	
	SEARCHED	Callon and it 5	
MIDIMUM 3	ocumentation searched (classification system followed by classifical H04N	tion symbols)	_
Documenta	tion searched other than minimumdocumentation to the extent that	such documents are included in the fields searched	
	ata base consulted during the international search (name of data b	ase and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category	Citation of document, with indication, where appropriate, of the re	levant passages Relevant t	o claim No
X	EP 0 665 695 A (TOKYO SHIBAURA E CO) 2 August 1995	1,1,	16
Α	see column 4, line 37 - column 5	5, line 20 5,12	
X	MAKOTO SHIOMI ET AL: "A FULLY D CONVERGENCE SYSTEM FOR PROJECTIO IEEE TRANSACTIONS ON CONSUMER EL vol. 36. no. 3, 1 August 1990, p 445-452. XP000162874 see page 448, left-hand column, line 34	N TV" ECTRONICS, ages	16
Α		5.12	
X	US 5 345 280 A (KIMURA YUICHIRO 6 September 1994 see column 9, line 50 - column 1		16
Furth	er documents are listed in the continuation of box C.	Patent family members are listed in annex.	
conside E" earlier de filing de "L" documer which is citation "O" documer other m" "P" documer	nt which may throw doubts on priority claim(s) or s cited to establish the publication date of another or other special reason (as specified) nt referring to an oral disclosure, use, exhibition or	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention." "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken all." "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when document is combined with one or more other such documents, such combination being obvious to a person skill in the art. "&" document member of the same patent family	t one the u-
Date of the a	ctual completion of theinternational search	Date of mailing of the international search report	
14	October 1998	21/10/1998	
Name and m	alling address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Bequet, T	

1

**RNATIONAL SEARCH REPORT Information on patent family members

International Application No PCT/US 98/17920

Patent document Publication Patent family member(s) Publication cited in search report date date EP 0665695 02-08-1995 JΡ 7212779 A 11-08-1995 CA 2141160 A 27-07-1995 US 5345280 Α 06-09-1994 JP 5244615 A 21-09-1993



PCT

INTERNATIONAL SEARCH REPORT


(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference RCA 88741		of Transmittal of International Search Report /220) as well as, where applicable, item 5 below.
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/US 98/17920	28/08/1998	29/08/1997
Applicant		
THOMSON CONSUMER ELECTRON	ICS, INC. et al.	
according to Article 18. A copy is being tra This International Search Report consists	of a total of2 sheets.	
It is also accompanied by a copy	of each priorart document cited in this repo	rt.
Certain claims were found uns Unity of invention is lacking(s	, ,	
international search was carried	stains disclosure of a nucleotide and/or ami out on the basis of the sequence listing with the international application.	no acid sequence listing and the
	shed by the applicant separately from the int	ternational application,
	but not accompanied by a statement to matter going beyond the disclosure in the	the effect that it did not include
Tran	scribed by this Authority	
	ext is approved as submitted by the applicar ext has been established by this Authority to	, ,
5. With regard to the abstract,		
	ext is approved as submitted by the applicar	nt
Box	ext has been established, according to Rule III. The applicant may, within one month fror rch Report, submit comments to this Authori	m the date of mailing of this International
6. The figure of the drawings to be publi	shed with the abstract is:	
	uggested by the applicant.	None of the figures.
	ause the applicant failed to suggest a figure.	_
beca	ause this figure better characterizes the inver	ntion.

A. CLASSI IPC 6	FICATION OF SUBJECT MATTER H04N3/233 H04N9/28			
According to	o International Patent Classification(IPC) or to both national classific	cation and IPC		
B. FIELDS	SEARCHED			
Minimum do IPC 6	ocumentation searched (classification system followed by classificat HO4N	lion symbols)		
Documentat	tion searched other than minimumdocumentation to the extent that	such documents are included in the fields sear	ched	
Electronic d	ata base consulted during the international search (name of data b	ase and, where practical, search terms used)		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category °	Citation of document, with indication, where appropriate, of the re	levant passages	Relevant to claim No.	
Х	EP 0 665 695 A (TOKYO SHIBAURA E CO) 2 August 1995		1,14,16	
Α	see column 4, line 37 - column 5	, The 20	5,12	
X	MAKOTO SHIOMI ET AL: "A FULLY D CONVERGENCE SYSTEM FOR PROJECTIO IEEE TRANSACTIONS ON CONSUMER EL vol. 36, no. 3, 1 August 1990, p 445-452, XPO00162874 see page 448, left-hand column, line 34	1,14,16		
A			5,12	
X	US 5 345 280 A (KIMURA YUICHIRO 6 September 1994 see column 9, line 50 - column 1		1,14,16	
Furti	ner documents are listed in the continuation of box C.	X Patent family members are listed in	annex.	
° Special ca	tegories of cited documents :	"T" later document published after the intern	ational filing data	
consid "E" earlier of filing d "L" docume which citation "O" docume other of the counter of the	ont which may throw doubts on priority claim(s) or is cited to establish the publication date of another in or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "8" document member of the same patent family		
Date of the	actual completion of theinternational search	Date of mailing of the international searce	ch report	
	4 October 1998	21/10/1998		
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Bequet, T		

INTERMATIONAL SEARCH REPORT

nformation on patent family members



Patent document cited in search repo	Patent document cited in search report		Patent family member(s)		Publication date
EP 0665695	Α	02-08-1995	JP CA	7212779 A 2141160 A	11-08-1995 27-07-1995
US 5345280	Α	06-09-1994	JP	5244615 A	21-09-1993





REC'D	22	NOV 1999
WIPC		PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's o	r ager	nt's file reference			ion of Transmittal of International
RCA 8874	11		FOR FURTHER ACTION	Preliminary E	examination Report (Form PCT/IPEA/416)
International	applic	ation No.	International filing date (day/month	n/year)	Priority date (day/month/year)
PCT/US98	3/179	920	28/08/1998		29/08/1997
International H04N3/23		nt Classification (IPC) or na	tional classification and IPC		
Applicant					
	N C	ONSUMER ELECTRO	ONICS, INC. et al.		
1. This in and is	terna trans	tional preliminary exami mitted to the applicant a	ination report has been prepare according to Article 36.	d by this Inter	national Preliminary Examining Authority
2. This R	EPO	RT consists of a total of	5 sheets, including this cover s	heet.	
be (s	en a ee Ri	mended and are the bas ale 70.16 and Section 6	sis for this report and/or sheets of the Administrative Instruct	containing rec	, claims and/or drawings which have tifications made before this Authority PCT).
These	anne	exes consist of a total of	two sneets.		
3. This re	eport _		ating to the following items:		· .
1	×	Basis of the report			
			opinion with regard to novelty, in	ventive step a	and industrial applicability
III IV		Lack of unity of inventi-		TOTAL OF S	,
v		Reasoned statement u		novelty, inve	ntive step or industrial applicability;
VI		Certain documents cit	ed		
VII	\boxtimes	Certain defects in the i	nternational application		
VIII	Ø	Certain observations o	n the international application		
Date of sub	missi	on of the demand	Date o	f completion of t	his report
22/03/19	99				1 8. 11. 99
	exam	g address of the internation ining authority:	al Author	ized officer	September 11 September 19 Septe
<u></u>	D-8	opean Patent Office 0298 Munich		er-Kluz, F	
		+49 89 2399 - 0 Tx: 52365 · +49 89 2399 - 4465	· ·	one No. ±49.89	2399 8630

Telephone No. +49 89 2399 8630

Fax: +49 89 2399 - 4465

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/US98/17920

١.	Bas	is	of	the	re	эp	ort	Ì
----	-----	----	----	-----	----	----	-----	---

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):

	the i	the report since they do not contain amendments.):						
	Description, pages:							
	1-13	1	as originally filed					
	Clai	ms, No.:						
	5-8,	10,12,13	as received on		20/09/1999	with letter of	16/09/1999	
	Dra	wings, sheets:						
	1/8-	8/8	as originally filed					
2.	The	amendments have	e resulted in the ca	ancellation of:				
		the description,	pages:					
	×	the claims,	Nos.:	1-4,9,11,14	-16			
		the drawings,	sheets:					
3.		This report has be considered to go	een established as beyond the disclos	s if (some of) t sure as filed (he amendmei Rule 70.2(c)):	nts had not bee	n made, since they have been	
4.	Add	litional observation	ns, if necessary:					

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/US98/17920

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes:

Yes:

Claims 5-8,10,12,13

No:

Inventive step (IS)

Claims

Claims 5-8,10,12,13

Claims No:

Industrial applicability (IA)

Yes:

Claims 5-8,10,12,13

No: Claims

2. Citations and explanations

see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted:

see separate sheet

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

Re Item V

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

The present application relates to the digital generation of geometric and convergence correction signal waveforms.

In the prior art it is known to have geometry convergence correction waveforms using linear interpolation for the intervening values (as shown e.g. in figure 5 of the present application). But such waveforms result in banded regions in the image (figure 6 of present application). In order to eliminate banding, the correction values along each column could be modified so that they have no change of slopes (figure 7 of present application). But such waveforms introduce pincushion curvature in the image.

The object of the invention is a simultaneous minimization of banding and pincushion distortion, as claimed in independent claims 5 and 12.

None of the cited documents discloses or suggests minimized banding with correction of pincushion distortion as claimed.

The requirements of Article 33(4) PCT are met.

Re Item VII

Certain defects in the international application

The description, in particular the part relating to the "Summary of invention", is not in conformity with the claims presently on file as required by Rule 5.1(a)(iii) PCT.

Re Item VIII

Certain observations on the international application

INTERNATIONAL PRELIMINARY

International application No. PCT/US98/17920

EXAMINATION REPORT - SEPARATE SHEET

It is clear from the description on page 10 (lines 2 and 20,21) that linear interpolation is essential to the definition of the invention.

Since independent claims 5 and 12 do not contain this feature they do not meet the requirement following from Article 6 PCT taken in combination with Rule 6.3(b) PCT that any independent claim must contain all the technical features essential to the definition of the invention.



1

2

3

4

5

WHAT IS CLAIMED IS:

- 1. A deflection correction circuit, comprising:
- a memory having stored therein displacement values applicable to spaced points in a grid of rows and columns, the displacement values being selected to avoid significant banding effects while generally defining S-shaped correction curves;
- an interpolator generating intermediate values between adjacent ones of said stored displacement values;
- a digital to analog converter coupled to said interpolator for receiving said intermediate values and generating therefrom a correction signal for driving a deflection correction coil.
- The circuit of claim 1, wherein said displacement values applicable columns generally define S-shaped correction curves that are maximized at least two of said columns corresponding to areas of a display screen that are spaced from both a center axis and one of two opposite edges of said display screen, and minimized adjacent to the center axis and the opposite edges
- The circuit of claim 1, wherein S-shaped correction is added in successive steps proceeding from said areas that are spaced from the center axis, toward said center axis and toward said edges, respectively.
- 1 4. The circuit of claim 1, wherein said displacement values 2 represent interpolated values applicable to said grid.

5. A video display apparatus, comprising:

2

3

4

5 6

7

8

9

1011

12

13

14

15

16

17

a cathode ray tube for displaying an image and having a deflection correction coil coupled to drive amplifier for locally adjusting a position of said image, a digital to analog converter with an output coupled to said drive amplifier;

a memory containing displacement values applicable to spaced points in a grid of rows and columns, said displacement values for said columns generally defining S-shaped correction curves having a maximum value at two areas of a display screen that are spaced from both a center axis and one of two opposite edges of the display, and having a substantially zero value at other areas adjacent to the center axis and the opposite edges; and,

means for interpolating intervening values adjacent ones of said displacement values;

said digital to analog converter being coupled to said means for interpolating intervening values, said digital to analog converter providing a signal for driving said deflection correction coil.

- 1 6. The video display of claim 5, wherein S-shaped correction 2 is added in successive steps proceeding from said areas that are 3 spaced from the center axis, toward said center axis and toward said 4 edges, respectively.
- 7. The video display of claim 5, wherein said digital words stored in said memory represent values derived during alignment of said video display.
- 1 8. The video display of claim 5, wherein said digital words 2 defining displacement values stored in said memory represent values 3 formed by interpolation of displacement values applicable to said grid. 4 said interpolated displacement values.

REPLACED BY NO 99/11054

1

2

3

4

5

6

7 8

9

10

11 12

13

14

15

- 1 9. The video display of claim 8, wherein said linear 2 interpolating means generates said intervening values adjacent ones of 3 said interpolated displacement values.
- 1 10. The video display of claim 5, wherein said linear 2 interpolating means generates said intervening values adjacent ones of 3 said displacement values during a display period.
- 1 11. The video display of claim 5, wherein said deflection 2 correction coil is mounted on a green CRT.
 - 12. A method for digitally correcting geometric distortion of an image on a display screen, comprising the steps of:

defining a matrix of spaced adjustment points on the display screen, in horizontally spaced vertical columns of values for local displacement of the image at the adjustment points on the display screen, the values for said columns defining S-shaped vertical correction waveforms having varying slope between adjacent ones of the values;

linearizing the values for at least two areas of the matrix corresponding to a center axis and opposite edges, and applying progressively greater S-correction proceeding from said center axis and from said edges, to areas of the display screen spaced between the center axis and the opposite edges;

storing the matrix values in a memory;

reading said stored matrix values; and,

locally displacing said image as a function of said stored matrix values for corresponding adjustment points to correct the image on the display screen. WO 99/11054

1

5

- The method of claim 12, further comprising linearly 13. 2 interpolating between adjacent ones of the matrix values in the 3 vertical columns to define correction values for scan lines between the 4 adjustment points, and locally displacing the image between adjustment points as a function of the linearly interpolated correction 6 values.
- 1 14. A video apparatus having a display screen subject to image 2 distortion, comprising:
- 3 a cathode ray tube for displaying an image;
- 4 a deflection coil located on said cathode ray tube;
- 5 a drive amplifier coupled to said deflection coil;
- 6 a digital to analog converter with an output coupled to said 7 drive amplifier;
- 8 a memory having stored therein interpolated displacement 9 values corresponding to spaced points in a grid of rows and columns; 10 and,
- 11 an interpolator coupled to said memory and responsive to 12 said stored interpolated displacement values for interpolating values adjacent ones of said stored interpolated displacement values, 13
- said digital to analog converter being coupled to said 14 interpolator for generating a correction signal to drive said deflection 15 coil to correct said image distortion. 16
 - 1 15. The apparatus of claim 14, wherein said stored interpolated displacement values for said columns generally define S-2 3 shaped correction curves.



1 2

3

4

5

6 7

8

9

10

16.	A circuit for generating a correction signal to correct imag	зe
distortion of	n a display screen, comprising:	

a memory storing displacement values corresponding to spaced points on said screen in a grid of rows and columns, the displacement values of said grid generally defining correction curves for correcting said image distortion without introducing significant banded regions on said display screen;

an interpolator coupled to said memory for interpolating intermediate values between adjacent ones of said stored displacement values; and,

a digital to analog converter coupled to said interpolator for providing said correction signal.